

**SYNTHETIC EXAMPLE**

Clinical Global Impression - Severity

CGI-S - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Clinician-rated

INSTRUMENT

CGI-S

SOURCE

Guy / ECDEU

CLINICAL ROLE

**Global clinician
severity anchor**

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored CGI-S result, cannot establish a diagnosis, and must not be placed in a clinical record.

CGI-S is not a diagnosis and not a substitute for a named symptom measure. It is one clinician's global impression.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

Only a clinician completes CGI-S. It should not be sent to a client as a self-report.

CONTEXT

The official item uses a seven-point anchor. This page does not independently verify descriptors for a production rule beyond naming the construct.

SOURCE

Confirm the official CGI wording your service uses. This catalogue entry does not assign the measure from the public site.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce CGI-S item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	3 of 5	Sometimes
2	4 of 5	Often
3	1 of 5	Not at all
4	1 of 5	Not at all
5	1 of 5	Not at all
6	5 of 5	Most days
7	1 of 5	Not at all
8	2 of 5	A little
9	5 of 5	Most days
10	3 of 5	Sometimes
11	5 of 5	Most days
12	1 of 5	Not at all
13	2 of 5	A little
14	2 of 5	A little

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Clinical Global Impression - Severity item asks a clinician to rate how mentally ill the person is at this time relative to the clinician's experience of that population. It is a global anchor, not a multi-item symptom scale.

ADMINISTRATION

Only a clinician completes CGI-S. It should not be sent to a client as a self-report.

CLINICAL BOUNDARY

CGI-S is not a diagnosis and not a substitute for a named symptom measure. It is one clinician's global impression.

GOVERNANCE

Confirm the official CGI wording your service uses. This catalogue entry does not assign the measure from the public site.

SELECTED REFERENCES

1. CGI in ECDEU

Guy W. ECDEU Assessment Manual for Psychopharmacology. 1976.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.