



SYNTHETIC EXAMPLE

NCCN Distress Thermometer

Distress Thermometer - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Self-report

INSTRUMENT

Distress Thermometer

SOURCE

National Comprehensive
Cancer Network

CLINICAL ROLE

Distress screening
support for clinician
review

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored Distress Thermometer result, cannot establish a diagnosis, and must not be placed in a clinical record.

Distress Thermometer is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

Distress Thermometer is completed as a focused self-report and stored for clinician review. This public page does not collect answers or return a score.

CONTEXT

Published scoring conventions may exist in official materials. This public page does not independently verify scoring, cutoffs, or a production scoring rule. Use the official form and scoring instructions for the version you intend to use.

SOURCE

Catalogue information on the measure's purpose, source and administration requirements. Check the official administration guidance and suitability for your clinical purpose.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce Distress Thermometer item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	2 of 5	A little
2	4 of 5	Often
3	1 of 5	Not at all
4	3 of 5	Sometimes
5	3 of 5	Sometimes
6	2 of 5	A little
7	1 of 5	Not at all
8	2 of 5	A little
9	1 of 5	Not at all
10	3 of 5	Sometimes
11	4 of 5	Often
12	4 of 5	Often
13	4 of 5	Often
14	4 of 5	Often

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Distress Thermometer is a brief self-report used in cancer services to see who may need psychosocial attention. A published screening cutoff around 4 is evidence for clinician review. It does not diagnose a mental disorder, predict survival, or assign care.

ADMINISTRATION

Distress Thermometer is completed as a focused self-report and stored for clinician review. This public page does not collect answers or return a score.

CLINICAL BOUNDARY

Distress Thermometer is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

GOVERNANCE

Catalogue information on the measure's purpose, source and administration requirements. Check the official administration guidance and suitability for your clinical purpose.

SELECTED REFERENCES

1. NCCN distress guidance

National Comprehensive Cancer Network. Distress during cancer care.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.