

**SYNTHETIC EXAMPLE**

Eating Disorder Examination Questionnaire

EDE-Q - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Self-report

INSTRUMENT

EDE-Q

SOURCE

Fairburn and colleagues

CLINICAL ROLE

**Eating-disorder symptom
measurement for
clinician review**

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored EDE-Q result, cannot establish a diagnosis, and must not be placed in a clinical record.

EDE-Q does not diagnose an eating disorder or determine medical stability. It is symptom and behaviour evidence for clinician review.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

The person completes the authorised questionnaire. Medical risk, BMI, and bloods are separate clinic processes. This page does not collect eating-disorder answers.

CONTEXT

Official scoring produces subscale and global scores plus behaviour frequencies. This page does not independently verify scoring.

SOURCE

Confirm the version and the 28-day reference period. This catalogue entry does not assign the measure from the public site.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce EDE-Q item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	4 of 5	Often
2	2 of 5	A little
3	2 of 5	A little
4	1 of 5	Not at all
5	5 of 5	Most days
6	5 of 5	Most days
7	3 of 5	Sometimes
8	2 of 5	A little
9	3 of 5	Sometimes
10	4 of 5	Often
11	3 of 5	Sometimes
12	1 of 5	Not at all
13	5 of 5	Most days
14	1 of 5	Not at all

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Eating Disorder Examination Questionnaire asks about restraint, eating concern, shape concern, weight concern, and specified behaviours over a recent period. It is more detailed than SCOFF and still not a diagnostic interview.

ADMINISTRATION

The person completes the authorised questionnaire. Medical risk, BMI, and bloods are separate clinic processes. This page does not collect eating-disorder answers.

CLINICAL BOUNDARY

EDE-Q does not diagnose an eating disorder or determine medical stability. It is symptom and behaviour evidence for clinician review.

GOVERNANCE

Confirm the version and the 28-day reference period. This catalogue entry does not assign the measure from the public site.

SELECTED REFERENCES

1. EDE-Q overview

Fairburn CG, Beglin SJ. Assessment of eating disorders: interview or self-report questionnaire? *Int J Eat Disord.* 1994;16(4):363-370.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.