



SYNTHETIC EXAMPLE

Generalized Anxiety Disorder 7-item

GAD-7 - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Self-report

INSTRUMENT

GAD-7

SOURCE

Spitzer, Kroenke,
Williams and colleagues

CLINICAL ROLE

Anxiety screening
support for clinician
review

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored GAD-7 result, cannot establish a diagnosis, and must not be placed in a clinical record.

GAD-7 is a screening and symptom-severity measure, not a diagnosis. A score cannot distinguish GAD from other anxiety presentations, medical causes, or comorbidity without clinician-led assessment.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

Respondents rate how often seven problems have bothered them over the past two weeks. Results are intended to support a clinician conversation about symptom burden, duration, impairment, and whether a fuller anxiety assessment is needed.

CONTEXT

Published source materials describe a 0-21 total and suggested screening bands. This public page does not independently verify scoring, cutoffs, or a production scoring rule. Use the official form and scoring instructions for the version you intend to use.

SOURCE

Catalogue information on the measure's purpose, source and administration requirements. Confirm the exact form and suitability for your population before any live workflow.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce GAD-7 item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	4 of 5	Often
2	5 of 5	Most days
3	1 of 5	Not at all
4	2 of 5	A little
5	3 of 5	Sometimes
6	1 of 5	Not at all
7	5 of 5	Most days
8	1 of 5	Not at all
9	5 of 5	Most days
10	4 of 5	Often
11	1 of 5	Not at all
12	1 of 5	Not at all
13	5 of 5	Most days
14	1 of 5	Not at all

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Generalized Anxiety Disorder 7-item scale was developed by Spitzer, Kroenke, Williams and colleagues as a short self-report measure of anxiety symptom burden. Clinics use it for intake, review, and monitoring. It does not by itself establish an anxiety disorder diagnosis.

ADMINISTRATION

Respondents rate how often seven problems have bothered them over the past two weeks. Results are intended to support a clinician conversation about symptom burden, duration, impairment, and whether a fuller anxiety assessment is needed.

CLINICAL BOUNDARY

GAD-7 is a screening and symptom-severity measure, not a diagnosis. A score cannot distinguish GAD from other anxiety presentations, medical causes, or comorbidity without clinician-led assessment.

GOVERNANCE

Catalogue information on the measure's purpose, source and administration requirements. Confirm the exact form and suitability for your population before any live workflow.

SELECTED REFERENCES

1. Original GAD-7 validation

Spitzer RL, Kroenke K, Williams JBW, Lowe B. A brief measure for assessing generalized anxiety disorder. Arch Intern Med. 2006;166(10):1092-1097.

2. Official source forms

Pfizer Inc. Patient Health Questionnaire (PHQ) screeners.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.