SYNTHETIC EXAMPLE

Menopause-specific symptom checklist and intake tracker

Menopause Intake - presentation preview

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	Example date	Self-report

INSTRUMENT	SOURCE	CLINICAL ROLE
Menopause Intake	Operational menopause-clinic intake shell	Menopause-clinic intake support

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored Menopause Intake result, cannot establish a diagnosis, and must not be placed in a clinical record.

Menopause Intake is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

Menopause Intake is completed as a focused self-report and stored for clinician review. This public page does not collect answers or return a score.

CONTEXT

Published scoring conventions may exist in official materials. This public page does not independently verify scoring, cutoffs, or a production scoring rule. Use the official form and scoring instructions for the version you intend to use.

SOURCE

Catalogue information on the measure's purpose, source and administration requirements.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce Menopause Intake item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	5 of 5	**Most days**
2	2 of 5	**A little**
3	1 of 5	**Not at all**
4	5 of 5	**Most days**
5	5 of 5	**Most days**
6	4 of 5	**Often**
7	2 of 5	**A little**
8	5 of 5	**Most days**
9	1 of 5	**Not at all**
10	4 of 5	**Often**
11	5 of 5	**Most days**
12	1 of 5	**Not at all**
13	5 of 5	**Most days**
14	2 of 5	**A little**

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The menopause intake tracker is an operational workflow shell for collecting menopause-clinic history. It is not MRS, GCS, or a laboratory algorithm, and it does not recommend HRT.

ADMINISTRATION

Menopause Intake is completed as a focused self-report and stored for clinician review. This public page does not collect answers or return a score.

CLINICAL BOUNDARY

Menopause Intake is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

GOVERNANCE

Catalogue information on the measure's purpose, source and administration requirements.

SELECTED REFERENCES

1. Menopause clinic pathway
Lirena. Menopause clinic pathway. Use clinician-led menopause history, medical review, and official symptom scales.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.