

**SYNTHETIC EXAMPLE**

Revised Child Anxiety and Depression Scale

RCADS - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Self-report

INSTRUMENT

RCADS

SOURCE

Chorpita and colleagues

CLINICAL ROLE

**Youth symptom
measurement for
clinician review**

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored RCADS result, cannot establish a diagnosis, and must not be placed in a clinical record.

RCADS does not diagnose an anxiety disorder or depression. Subscale labels are measurement constructs, not confirmed conditions.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

A young person or parent completes the authorised form. Age, informant, and whether you use the short or long form must be explicit. Results go to a clinician, not a public score page.

CONTEXT

Official scoring produces subscale scores. This page does not independently verify T-scores or cutoffs. Use the official manual for the form you intend.

SOURCE

Confirm the exact child/parent form and scoring manual. This catalogue entry does not assign RCADS from the public site.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce RCADS item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	3 of 5	Sometimes
2	3 of 5	Sometimes
3	1 of 5	Not at all
4	4 of 5	Often
5	1 of 5	Not at all
6	5 of 5	Most days
7	5 of 5	Most days
8	5 of 5	Most days
9	4 of 5	Often
10	1 of 5	Not at all
11	2 of 5	A little
12	3 of 5	Sometimes
13	4 of 5	Often
14	1 of 5	Not at all

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Revised Child Anxiety and Depression Scale yields several anxiety-related subscales plus depression. Child and parent versions exist. It is used in many CAMHS-style pathways as a symptom measure, not a diagnostic interview.

ADMINISTRATION

A young person or parent completes the authorised form. Age, informant, and whether you use the short or long form must be explicit. Results go to a clinician, not a public score page.

CLINICAL BOUNDARY

RCADS does not diagnose an anxiety disorder or depression. Subscale labels are measurement constructs, not confirmed conditions.

GOVERNANCE

Confirm the exact child/parent form and scoring manual. This catalogue entry does not assign RCADS from the public site.

SELECTED REFERENCES

1. RCADS development

Chorpita BF, Yim L, Moffitt C, Umemoto LA, Francis SE. Assessment of symptoms of DSM-IV anxiety and depression in children: a revised child anxiety and depression scale. Behav Res Ther. 2000;38(8):835-855.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.