

**SYNTHETIC EXAMPLE**

Social Phobia Inventory

SPIN - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Self-report

INSTRUMENT

SPIN

SOURCE

Connor and colleagues

CLINICAL ROLE

**Social-anxiety
screening support**

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored SPIN result, cannot establish a diagnosis, and must not be placed in a clinical record.

SPIN does not diagnose social anxiety disorder. Overlap with depression, panic, and neurodevelopmental presentations still needs clinical judgement.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

Adults rate 17 items. Results support clinician review. They do not replace a social-anxiety interview.

CONTEXT

Published totals and suggested cutoffs exist. This page does not independently verify a cutoff.

SOURCE

Confirm the official SPIN form versus Mini-SPIN. This catalogue entry does not assign the measure from the public site.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce SPIN item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	5 of 5	Most days
2	4 of 5	Often
3	2 of 5	A little
4	5 of 5	Most days
5	2 of 5	A little
6	4 of 5	Often
7	5 of 5	Most days
8	5 of 5	Most days
9	3 of 5	Sometimes
10	1 of 5	Not at all
11	1 of 5	Not at all
12	5 of 5	Most days
13	3 of 5	Sometimes
14	5 of 5	Most days

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Social Phobia Inventory asks about fear, avoidance, and physiological symptoms in social situations. It is a brief self-report used for screening or monitoring.

ADMINISTRATION

Adults rate 17 items. Results support clinician review. They do not replace a social-anxiety interview.

CLINICAL BOUNDARY

SPIN does not diagnose social anxiety disorder. Overlap with depression, panic, and neurodevelopmental presentations still needs clinical judgement.

GOVERNANCE

Confirm the official SPIN form versus Mini-SPIN. This catalogue entry does not assign the measure from the public site.

SELECTED REFERENCES

1. SPIN paper

Connor KM et al. Psychometric properties of the Social Phobia Inventory (SPIN). Br J Psychiatry. 2000;176:379-386.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.