



SYNTHETIC EXAMPLE

World Health Organization Disability Assessment Schedule 2.0 - 12 item

WHODAS 2.0 12-item - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Self-report

INSTRUMENT

WHODAS 2.0 12-item

SOURCE

**World Health
Organization**

CLINICAL ROLE

**Functioning measurement
for clinician review**

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored WHODAS 2.0 result, cannot establish a diagnosis, and must not be placed in a clinical record.

WHODAS 2.0 does not diagnose a mental or physical condition. It describes reported functioning. High symptoms with low reported disability, or the reverse, still need clinical interpretation.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

The person, or an interviewer, completes the authorised 12-item form about recent functioning. Results support treatment planning and review. They do not replace diagnosis or capacity assessments your clinic may run separately.

CONTEXT

WHO manuals describe scoring for 12-item and 36-item versions. This page does not independently verify a production scoring rule. Use the official 12-item materials if that is the form you mean.

SOURCE

Confirm the version and administration mode before you send it. This catalogue entry does not assign the measure from the public site.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce WHODAS 2.0 12-item item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	3 of 5	Sometimes
2	1 of 5	Not at all
3	5 of 5	Most days
4	4 of 5	Often
5	3 of 5	Sometimes
6	4 of 5	Often
7	5 of 5	Most days
8	2 of 5	A little
9	5 of 5	Most days
10	1 of 5	Not at all
11	2 of 5	A little
12	2 of 5	A little
13	2 of 5	A little
14	4 of 5	Often

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The WHO Disability Assessment Schedule 2.0 measures difficulties in day-to-day functioning across domains such as mobility, self-care, and participation. The 12-item form is a short version of a longer 36-item instrument. Functioning is not the same construct as a symptom total.

ADMINISTRATION

The person, or an interviewer, completes the authorised 12-item form about recent functioning. Results support treatment planning and review. They do not replace diagnosis or capacity assessments your clinic may run separately.

CLINICAL BOUNDARY

WHODAS 2.0 does not diagnose a mental or physical condition. It describes reported functioning. High symptoms with low reported disability, or the reverse, still need clinical interpretation.

GOVERNANCE

Confirm the version and administration mode before you send it. This catalogue entry does not assign the measure from the public site.

SELECTED REFERENCES

1. Official WHO WHODAS

World Health Organization. WHO Disability Assessment Schedule 2.0.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.