



SYNTHETIC EXAMPLE

Yale-Brown Obsessive Compulsive Scale

Y-BOCS - presentation preview

CLIENT

John Doe

ADMINISTERED

Example date

RESPONSE MODE

Clinician-rated

INSTRUMENT

Y-BOCS

SOURCE

Goodman and colleagues

CLINICAL ROLE

Clinician-rated OCD
severity support

What this report lays out

- Named instrument, version, and provenance
- Item-level response pattern without source wording
- Methodology, references, and clinical boundary
- Responsible clinician review rather than automated conclusions

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored Y-BOCS result, cannot establish a diagnosis, and must not be placed in a clinical record.

Y-BOCS does not diagnose OCD. It estimates rated severity. Insight, comorbidity, and functioning still need clinical assessment.



A report designed for clinical review

Clear structure, visible provenance, and an explicit boundary help a clinician review recorded evidence without mistaking a questionnaire for a conclusion.

REVIEW

A trained clinician interviews the person and rates official items. Do not send Y-BOCS as an unsupervised public questionnaire without an authorised self-report version.

CONTEXT

Official manuals describe obsession and compulsion totals. This page does not independently verify scoring or reproduce the checklist.

SOURCE

Confirm the exact Y-BOCS version and whether you mean the clinician-rated form or a self-report adaptation. This page does not assign the measure.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.



Item-level layout without source wording

This marketing sample uses invented item numbers and response labels only. It does not reproduce Y-BOCS item wording, and the pattern below is not a real result.

ITEM	ILLUSTRATIVE SCALE POINT	FICTIONAL RESPONSE
1	3 of 5	Sometimes
2	5 of 5	Most days
3	3 of 5	Sometimes
4	2 of 5	A little
5	4 of 5	Often
6	2 of 5	A little
7	3 of 5	Sometimes
8	1 of 5	Not at all
9	5 of 5	Most days
10	1 of 5	Not at all
11	1 of 5	Not at all
12	1 of 5	Not at all
13	1 of 5	Not at all
14	5 of 5	Most days

Item numbers, scale points, and responses on this page are invented for layout demonstration. They are not this instrument's item set, scoring structure, or thresholds.



Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Yale-Brown Obsessive Compulsive Scale rates time, interference, distress, resistance, and control for obsessions and compulsions after interview. Symptom checklists used alongside Y-BOCS are not the same as the severity scale.

ADMINISTRATION

A trained clinician interviews the person and rates official items. Do not send Y-BOCS as an unsupervised public questionnaire without an authorised self-report version.

CLINICAL BOUNDARY

Y-BOCS does not diagnose OCD. It estimates rated severity. Insight, comorbidity, and functioning still need clinical assessment.

GOVERNANCE

Confirm the exact Y-BOCS version and whether you mean the clinician-rated form or a self-report adaptation. This page does not assign the measure.

SELECTED REFERENCES

1. Original Y-BOCS paper

Goodman WK et al. The Yale-Brown Obsessive Compulsive Scale. Arch Gen Psychiatry. 1989;46(11):1006-1011.

SOURCE AND VERIFICATION Confirm the official form with the source before any live workflow.